


## NIPLE ASIENTO DE COPAS (NIPPLE, SEATING, CUP TYPE)


### N 11




| LONG. EN PULG. | REGULAR   | HEAVY DUTY  | INOXIDABLE  | CROMADO     |
|----------------|-----------|-------------|-------------|-------------|
| 6              | N11-20    | N11-20HD    | N11-20SS    | N11-20CR    |
| 8              | N11-20-8  | N11-20-8HD  | N11-20-8SS  | N11-20-8CR  |
| 12             | N11-20-12 | N11-20-12HD | N11-20-12SS | N11-20-12CR |
| 6              | N11-25    | N11-25HD    | N11-25SS    | N11-25CR    |
| 8              | N11-25-8  | N11-25-8HD  | N11-25-8SS  | N11-25-8CR  |
| 12             | N11-25-12 | N11-25-12HD | N11-25-12SS | N11-25-12CR |
| 6              | N11-30    | N11-30HD    | N11-30SS    | N11-30CR    |
| 8              | N11-30-8  | N11-30-8HD  | N11-30-8SS  | N11-30-8CR  |
| 12             | N11-30-12 | N11-30-12HD | N11-30-12SS | N11-30-12CR |

## NIPLE ASIENTO ANCLAJE MECÁNICO INFERIOR (NIPPLE, SEATING, MECHANICAL BOTTOM LOCK)

### N 12




| HEAT TREATED |
|--------------|
| N12-20       |
| N12-25       |
| N12-30       |
| N12-35       |
| N12-40       |




**NIPLE ASIENTO DE COPAS**  
**VÁLVULA FIJA BOMBA DE TUBING**  
(NIPPLE, SEATING, 2 CUP TYPE, TUBING PUMP)  
**N 13**


| REGULAR | HEAVY DUTY | NIQUELADO |
|---------|------------|-----------|
| N13-20  | N13-20HD   | N13-20NQ  |
| N13-25  | N13-25HD   | N13-25NQ  |
| N13-30  | N13-30HD   | N13-30NQ  |



**A**




**B**



**C**

**NIPLE ASIENTO ANCLAJE MECÁNICO SUPERIOR**  
(NIPPLE, SEATING, MECHANICAL TOP LOCK)  
**N 14**


| CONJUNTO |            |          |          |          |
|----------|------------|----------|----------|----------|
| STANDARD |            | N14-20   | N14-25   | N14-30   |
| DESPIECE |            |          |          |          |
| <b>A</b> | HEAT TR.   | N14-20ZS | N14-25ZS | N14-30ZS |
| <b>B</b> | INOXIDABLE | N14-20AA | N14-25AA | N14-30AA |
| <b>C</b> | HEAT TR.   | N14-20ZI | N14-25ZI | N14-30ZI |



## NIPLE ANCLAJE DE FRICCIÓN INFERIOR (NIPPLE, SEATING, BOTTOM, FRICTION TYPE)

### N 15


| HEAT TREATED  |
|---------------|
| <i>N15-20</i> |
| <i>N15-25</i> |
| <i>N15-30</i> |
| <i>N15-35</i> |



## NIPLE ANCLAJE DE FRICCIÓN SUPERIOR (NIPPLE. SEATING, TOP LOCK, FRICTION TYPE)

### N 16


| HEAT TREATED  |
|---------------|
| <i>N16-20</i> |
| <i>N16-25</i> |
| <i>N16-30</i> |
| <i>N16-35</i> |



## NIPLE DE EXTENSIÓN SUPERIOR (NIPPLE, EXTENSION, UPPER)

### N 21

| LONG. EN PULG. | REGULAR   | NIQUELADO   |
|----------------|-----------|-------------|
| 24             | N21-20-24 | N21-20-24NQ |
| 36             | N21-20-36 | N21-20-36NQ |
| 24             | N21-25-24 | N21-25-24NQ |
| 36             | N21-25-36 | N21-25-36NQ |
| 24             | N21-30-24 | N21-30-24NQ |
| 36             | N21-30-36 | N21-30-36NQ |
| 24             | N21-40-24 | N21-40-24NQ |
| 36             | N21-40-36 | N21-40-36NQ |



## NIPLE DE EXTENSIÓN INFERIOR (NIPPLE, EXTENSION, LOWER)

### N 22

| LONG. EN PULG. | REGULAR   | NIQUELADO   |
|----------------|-----------|-------------|
| 12             | N22-20-12 | N22-20-12NQ |
| 24             | N22-20-24 | N22-20-24NQ |
| 36             | N22-20-36 | N22-20-36NQ |
| 12             | N22-25-12 | N22-25-12NQ |
| 24             | N22-25-24 | N22-25-24NQ |
| 36             | N22-25-36 | N22-25-36NQ |
| 12             | N22-30-12 | N22-30-12NQ |
| 24             | N22-30-24 | N22-30-24NQ |
| 36             | N22-30-36 | N22-30-36NQ |
| 24             | N22-40-24 | N22-40-24NQ |
| 36             | N22-40-36 | N22-40-36NQ |